

MITSUBISHI



Model	Eclipse, Talon, EVO 1-3 1988-92	Eclipse, Talon, EVO 1-3 1988-92 Stroker Kit	Eclipse, Talon, EVO 4-7 1992 up
Kit Part No.	K9063DA K9063D050 K9063D100 K9063D150 -	K9242DA K9242D050 - - -	K9062DA K9062D050 K9062D100 K9062D150 K9062D200
Engine typ	4G63	4G64	4G63
Bore size	85.00 85.50 86.00 86.50 -	85.00 85.50 - - -	85.00 85.50 86.00 86.50 87.00
Stroke	88	102	88
Displacement	1997ccm	2314ccm	1997ccm
Wössner Comp. ratio	8.0:1	8.0:1	8.0:1
OE Comp. ratio	8.5:1	8.5:1	8.8:1
Comp. height	34.60	28.70	34.60
Rod lenght	150mm	150mm	150mm
Block height	-	-	-
Dome volume	-22.2cm ³	-	-22.2cm ³
Gasket thickness	-	-	-
Valve per Cylinder	4	4	4
Cylinders	4	4	4
Piston weight in grams	335	-	344
Ring Part No.	850XTY 855XTY 860XTY 865XTY -	850XTY 855XTY - - -	850XTY 855XTY 860XTY 865XTY 870XTY
Pin Part No.	WP992	WP992	WP946
Clip Part No.	CW21	CW21	CW22
Kit Price Code	A	A	A

MITSUBISHI



Model	Eclipse, Talon, EVO 4-7 1992 up Stroker Kit	EVO 8-9 2003 up	EVO 8-9 2003 up Stroker Kit	EVO 10 RS 2007 up
Kit Part No.	K9251DA K9251D050 -	K9125DA K9125D050 K9125D100	K9241DA K9241D050 -	K9279DA K9279D050 K9279D100
Engine typ	4G64	4G63	4G64	4B11 MIVEC
Bore size	85.00 85.50 -	85.00 85.50 86.00	85.00 85.50 -	86.00 86.50 87.00
Stroke	102	88	102	86
Displacement	2314ccm	1997ccm	2314ccm	1997ccm
Wössner Comp. ratio	8.0:1	8.0:1	8.0:1	8.55:1
OE Comp. ratio	8.8:1	8.8:1	8.8:1	9.0:1
Comp. height	28.60	34.30	28.70	33.30
Rod lenght	150mm	150mm	150mm	140.75mm
Block height	-	229mm	229mm	-
Dome volume	-	-14cm ³	-	-8.9cm ³
Gasket thickness	-	0.86	0.86	-
Valve per Cylinder	4	4	4	4
Cylinders	4	4	4	4
Piston weight in grams	-	320	-	348
Ring Part No.	850XTY 855XTY -	850XTY 855XTY 860XTY	850XTY 855XTY -	860XTY 865XTY 870XTY
Pin Part No.	WP946	WP917	WP917	WP994
Clip Part No.	CW22	CW22	CW22	CW23
Kit Price Code	A	A	A	A

MITSUBISHI

Model	2.0 Ltr. Eclipse Eagle Talon	Eclipse 1995-99 Eagle Talon 1995-98 DOHC	3000GT, GTO, VR4 Stealth 1991-99
Kit Part No.	K9064DA K9064D050 K9064D100 K9064D150 K9064D200	K9084DA K9084D050 K9084D100 - -	K9077D040 K9077D090 K9077D140 - -
Engine typ	4G63	ECB, 420A	6G72TT
Bore size	85.00 85.50 86.00 86.50 87.00	87.50 88.00 88.50 - -	91.50 92.00 92.50 - -
Stroke	88	83	76
Displacement	1996ccm	1995ccm	2998ccm
Wössner Comp. ratio	8.0:1	11.5:1	8.0:1
OE Comp. ratio	8.3:1	9.6:1	8.0:1
Comp. height	35	31.4	32
Rod length	150mm	139mm	140.9mm
Block height	229mm	212mm	211.2mm
Dome volume	-17cm ³	-	-15.2cm ³
Gasket thickness	1.1	1.0	1.27
Valve per Cylinder	4	4	4
Cylinders	4	4	6
Piston weight in grams	328	347	368
Ring Part No.	850XTY 855XTY 860XTY 865XTY 870XTY	875XSY 880XSY 885XSY - -	915XTY 920XTY 925XTY - -
Pin Part No.	WP946	WP917	WP946
Clip Part No.	CW22	CW22	CW22
Kit Price Code	A	A	A